

Safety Data Sheet



Health	1
Fire	0
Reactivity	0
Personal Protection	B

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	TEXTURE PAINT
Chemical Name:	Acrylic Blend with White Oxides
Trade Name:	Texture Paint
Product Use:	Filling and creating texture on different substrates
Distributor's Name:	Sculpt Nouveau
Distributor's Address:	570 N. Tulip St. Escondido, CA 92025
Emergency Phone:	CHEMTREC 800-424-9300 U.S. and Canada; +1-703-527-3887 International
Business Phone:	800-728-5787

2. HAZARDS IDENTIFICATION

Hazard Identification:	<p>This product is not regarded as a health hazard under current legislation WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. MAY CAUSE EYE IRRITATION. <u>Hazard Statements (H):</u> P272 - Wash exposed skin areas thoroughly with soap and water after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves, clothing, face and eye protection. P302 + P352 - IF ON SKIN - Wash with soap and water. P305 + P351 + P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing. P333 + P313 - If skin irritation or a rash occurs, get medical advice/attention. (321 - For specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents/container according to state and federal regulations.</p>									
Effects of Exposure:	<table border="0"> <tr> <td>Eyes:</td> <td>Irritation upon direct contact.</td> </tr> <tr> <td>Skin:</td> <td>Irritation and possible dermatitis.</td> </tr> <tr> <td>Ingestion:</td> <td>May cause nausea, headache, vomiting and central nervous system depression</td> </tr> <tr> <td>Inhalation:</td> <td>Inhalation of high vapor concentrations may cause headache.</td> </tr> </table>	Eyes:	Irritation upon direct contact.	Skin:	Irritation and possible dermatitis.	Ingestion:	May cause nausea, headache, vomiting and central nervous system depression	Inhalation:	Inhalation of high vapor concentrations may cause headache.	
Eyes:	Irritation upon direct contact.									
Skin:	Irritation and possible dermatitis.									
Ingestion:	May cause nausea, headache, vomiting and central nervous system depression									
Inhalation:	Inhalation of high vapor concentrations may cause headache.									
Symptoms of Overexposure:	<table border="0"> <tr> <td>Eyes:</td> <td>Redness, burning, irritation, and swelling around eyes.</td> </tr> <tr> <td>Skin:</td> <td>May be irritating to skin in some sensitive individuals, especially after prolonged use or contact.</td> </tr> <tr> <td>Ingestion:</td> <td>Nausea and vomiting, severe abdominal pain.</td> </tr> <tr> <td>Inhalation:</td> <td>Breathing vapors in excess can cause central nervous system depression, ie drowsiness.</td> </tr> </table>	Eyes:	Redness, burning, irritation, and swelling around eyes.	Skin:	May be irritating to skin in some sensitive individuals, especially after prolonged use or contact.	Ingestion:	Nausea and vomiting, severe abdominal pain.	Inhalation:	Breathing vapors in excess can cause central nervous system depression, ie drowsiness.	
Eyes:	Redness, burning, irritation, and swelling around eyes.									
Skin:	May be irritating to skin in some sensitive individuals, especially after prolonged use or contact.									
Ingestion:	Nausea and vomiting, severe abdominal pain.									
Inhalation:	Breathing vapors in excess can cause central nervous system depression, ie drowsiness.									
Acute Health Effects:	May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May be harmful if swallowed. Breathing of high vapor concentrations may cause headaches, stupor, irritation of throat and eyes, kidney effects.									
Chronic Health Effects:	None known.									
Target Organs:	Eyes, skin, lungs.									

3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³) ppm							
			ACGIH			OSHA			NOHSC	
			TLV	STEL	TWA	STEL	IDLH	TWA	STEL	
Water	7732-18-5	1-15	NE	NE	NF	NF	NF	NE	NE	
Urethane/Acrylic Blend	NA	20-35	NA	NA	NA	NA	NA	NA	NF	
Zinc Oxide	1314-13-2	20-35	NA	NA	NA	NA	NA	NF	NF	
Calcium Oxide	1305-78-8	20-35	NA	NA	NA	NA	NA	NF	NF	
Calcium sulfate hemihydrate	10034-76-1	20-35	10	NA	NA	5	NF	5	NF	

4. FIRST AID MEASURES

First Aid:	<p>Ingestion: Immediately rinse mouth and then drink plenty of water. DO NOT INDUCE VOMITING. Seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.</p> <p>Eyes: If product gets in eyes, flush eyes thoroughly with large amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.</p> <p>Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort or a skin reaction occurs, contact a physician. Do not wear contaminated clothing until cleaned.</p> <p>Inhalation: Remove victim to fresh if breathing is difficult.</p>
Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the eyes or respiratory system or impaired kidney function may be more susceptible to the effects of this substance.

5. FIREFIGHTING MEASURES

Fire and Explosion Hazard :	No particular hazards known. Product itself is non-combustible: fire extinguishing method of surrounding areas must be considered.
Extinguishing Methods :	Suitable extinguishing media: Water spray, foam, dry powder
Firefighting Procedures :	As with any fire, firefighters should wear appropriate protective equipment including a NIOSH approved or equivalent self contained breathing apparatus and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may product oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons, and/or derivatives. Fire should be fought from a safe distance. Keep containers cool after fire is out. Use water spray to cool fire exposed surfaces. Prevent runoff from fire control or dilution from entering sewers, drains or natural waterway.

6. ACCIDENTAL RELEASE MEASURES

Spills:	<p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate personal protective equipment (PPE). Use safety glasses and face shield, gloves and other protective clothing to prevent skin contact. Insure adequate ventilation. For small spills, pick up with suitable absorbent material (e.g. sand, sawdust, general purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations. For large spills: Pump off product. Spills should be contained, solidified, and placed in suitable containers for disposal.</p> <p>HIGH RISK of slipping due to leakage/spillage of product.</p>
---------	--

7. HANDLING & STORAGE INFORMATION

Work and Hygiene Practices:	Handle in accordance with good industrial hygiene and safety practice. No special measures necessary provided product is used correctly. Ensure adequate ventilation.
Storage and Handling:	Store protected against freezing.
Special Precautions:	Empty containers may retain product residues. Do not reuse empty containers for other purposes.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Ventilation and Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from spraying this product. Ensure appropriate equipment is available (eye wash station, sink, etc.).
Respiratory Protection:	Wear respiratory protection if ventilation is inadequate.
Eye Protection:	Safety glasses with side shields should be used when handling this product. A face shield is also recommended.
Hand Protection:	Wear protective, chemical-resistant gloves, (e.g., neoprene) when handling this product.
Body Protection:	A chemical resistant apron and protective clothing are recommended when handling or using this product.

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Thick White Paste
Odor:	Faint odor
Odor Threshold:	No Data
pH:	7.5 - 9.0
Melting and Freezing Point:	0°C
Boiling Point/Range:	NA
Flashpoint:	Will not flash
Flammability Limits:	Not flammable
Vapor Pressure:	NA
Vapor Density:	Not Determined
Relative Density:	No Data
Solubility:	Partly Soluble
Evaporation Rate:	No Data

10. STABILITY & REACTIVITY

Stability:	Stable under normal conditions
Hazardous Decomposition:	Calcium oxides. Sulfur oxides
Hazardous Polymerization:	Hazardous polymerization does not occur.
Conditions to Avoid:	Acids. Exposure to water and acids must be supervised because the reactions are vigorous and produce large amounts of heat
Incompatible Substances:	Acids

11. TOXICOLOGICAL INFORMATION

Routes of Entry:	Inhalation: Yes	Absorption: Yes	Ingestion: Yes	
Toxicity Data:	Primary route of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Skin contact may be a route of entry for liquids.			
Acute Toxicity:	Virtually nontoxic after single ingestion, skin contact & inhalation. Ingestion may cause gastrointestinal disturbances.			
Chronic Toxicity:	No adverse effects were observed after repeated exposure in animal studies			
Suspected Carcinogen:	The whole of the information assessable provides no indication of a carcinogenic effect.			
Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.			
Mutagenicity:	This product is not reported to cause mutagenic effects in humans.			
Embryotoxicity:	This product is not reported to cause embryotoxic effects in humans.			
Teratogenicity:	This product is not reported to cause teratogenic effects in humans.			
Irritancy of Product:	See Section 2			
Biological Exposure Indices:	NE			
Physician Recommendations:	Treat symptomatically			

12. ECOLOGICAL INFORMATION

Environmental Stability	No data available
Effects on Plants & Animals:	No data available
Effects on Aquatic Life:	Calcium sulfate hemihydrate: LC50 - Pimephales promelas - > 1970 mg/l - 96.0 h; Zinc Oxide: LC50, Fish - > 100 mg/l; LC50, Daphnia, 42-65 mg/l - 48 h

13. DISPOSAL CONSIDERATIONS

Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. Incinerate or dispose of in a licensed facility. Do not discharge into drain/surface waters/ground water.
Special Considerations:	N/A

14. TRANSPORTATION INFORMATION

49 CFR (GND) IATA (AIR) IMDG (OCN) TDGR (Canadian GND) ADR/RID (EU) SCT (MEXICO) ADGR (AUS)	Land Transport US DOT	Not classified as a dangerous good under transport regulations
	Sea Transport IMDG	Not classified as a dangerous good under transport regulations
	Air Transport IATA/ICAO	Not classified as a dangerous good under transport regulations

15. REGULATORY INFORMATION

SARA Reporting Requirements:	This product does not contain substances subject to SARA Title III, section 313 reporting requirements.
SARA Threshold Planning Quantity	N/A
TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
Federal and State Regulations:	N/A
CERCLA Reportable Quantity:	NA
Other Federal Requirements:	NA

16. OTHER INFORMATION

Other Information:	WARNING! CAN CAUSE SKIN IRRITATION AND SERIOUS EYE IRRITATION.
Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Sculpt Nouveau's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
Prepared For:	Sculpt Nouveau 570 N. Tulip St. Escondido, CA 92025 USA Tel: 800-728-5787 Fax: 760-741-1074 www.sculpnouveau.com